WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



51) International Patent Classification 6:		(11) International Publication Number: WO 96/29045
A61K 7/00	A1	43) International Publication Date: 26 September 1996 (26.09.96
(21) International Application Number: PCT/US (22) International Filing Date: 20 March 1996 ((30) Priority Data: 21 March 1995 (21.03.95) (71) Applicant (for all designated States except US): UNIVERSITY AUTHORITY FOR APPLIED RE AND INDUSTRIES DEVELOPMENT LTD. [I Haim Levanon Street, 69975 Ramat-Aviv (IL). (71) Applicant (for MW only): SHOSHAN, Herbert, Z. [U Agur, Maccabim (IL). (72) Inventors; and (75) Inventors/Applicants (for US only): DASCALU, A 20 Mosenzon Street, 62965 Tel-Aviv (IL). ORO [IL/IL]; 11 Rabbina Street, Ramat-Aviv, 69395 (IL). (74) Agents: HANDELMAN, Joseph, H.; Ladas & Parry 61st Street, New York, NY 10023 (US) et al.	RAMO SEARO L/IL); S/IL]; 3 vi [IL/I N, Yor i Tel-A	CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, CEI, IN, MP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MI MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SI SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian pater (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European pater (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CN GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt amendments.

(57) Abstract

Seborrheic dermatitis of the scalp is treated by a combination of a cytotoxic agent and antifungal agent.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

apprice					
		GB	United Kingdom	MW	Malawi
AM	Armenia	GE	Georgia	MX	Mexico
ΑT	Austria	GN	Guinea	NE	Niger
AU	Australia	GR	Greece	NL	Netherlands
BB	Barbados			NO	Norway
BE	Belgium	HU	Hungary	NZ	New Zealand
BF	Burkina Faso	IE	Ireland	PL	Poland
BG	Bulgaria	IT.	Italy	PT	Portugal
BJ	Benin	JP	Japan	RO	Romania
BR	Brazil	KE	Kenya	RU	Russian Federation
BY	Belarus	KG	Kyrgystan	SD	Sudan
CA	Canada	KP	Democratic People's Republic	SE	Sweden
CF	Central African Republic		of Korea	SG	Singapore
CG	Congo	KR	Republic of Korea	81 -	
CH	Switzerland	KZ	Kazakhstan	SK	Slovakia
CI	Côte d'Ivoire	u	Liechtenstein	SN	Senegal
CM	Cameroon	LK	Sri Lanka	_	Swaziland
CN	China	LR	Liberia	SZ	Chad
cs	Czechoslovakia	LT	Lithuania	TD	
cz	Czech Republic	ເບ	Luxembourg	TG	Togo
DE	Germany	LV	Latvia	TJ	Tajikistan Trinidad and Tobago
_	Denmark	MC	Monaco	TT	
DK		MD	Republic of Moldova	UA	Ukraine
EE	Estonia	MG	Madagascar	UG	Uganda
ES	Spain	ML	Mali	บร	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France	MR	Mauritania	VN	Viet Nam
GA	Gabon	(72.5%			

COMPOSITIONS FOR THE TREATMENT OF DANDRUFF

FIELD OF THE INVENTION

The invention relates to pharmaceutical compositions for use in the treatment of seborrheic dermatitis of the scalp.

5

BACKGROUND OF THE INVENTION

Dandruff, seborrheic dermatitis of the scalp, is a common disease involving 3-5% of the population. Dandruff is, in many cases, the precursor of alopecia (baldness) and constitutes a chronic and almost intractable cosmetical and social inconvenience. The pathophysiology of the disease remains unknown, although it is known to involve a hyperproliferative state of the skin, a limited inflammatory process, and a secondary microbial colonization by the lipophilic yeast Pityrosporum, which is abundant and significantly overpopulated on the scalp of seborrheic patients.

15

10

Dandruff is a chronic and almost incurable disease. Available treatments result only in short term effects with an eventual recurrence of the disease.

A traditional treatment of dandruff included administration onto the scalp of either a cytotoxic agent or an antifungal agent. However, as

10

15

20

25

pointed out heretofore no treatment provides long term alleviation from the symptoms of this disease.

It is an object of the invention to provide a composition useful in the treatment of dandruff or symptoms associated therewith.

It is another object of the invention to provide a method for alleviation of dandruff or symptoms associated therewith.

GENERAL DESCRIPTION OF THE INVENTION

The present invention provides by a first of its aspects a composition, e.g. in the form of a hair shampoo, for the treatment of dandruff or of symptoms associated therewith, comprising in combination an effective amount of at least one cytotoxic agent and an effective amount of at least one antifungal agent, together with a carrier, a diluent or an excipient.

The term "effective amount" as used herein means to denote an amount of an agent effective in achieving a therapeutic result in the treatment of dandruff, such as alleviation of itching, a decrease in the amount of scales, a reduction in the rate of hair loss, a reduction in scalp redness, etc.

The term "cytotoxic agent" as used herein means to denote an agent which inhibits proliferation of keratinocytes skin cells. The term "antifungal agent" will be used to denote an agent which is specifically active in inhibiting growth of fungus and the fungus' ability to colonize the skin, which includes, inter alia, agents which are destructive to fungi, or active in suppressing growth of fungus or affect their ability to reproduce.

It will be appreciated by the artisan that the agents which are cytotoxic may also have some anti-fungal activity and an anti-fungal agent may also have some cytotoxic activity. Thus, the term "cytotoxic agent" refers to agents which are known in the art primarily by having cytotoxic

WO 96/29045 PCT/US96/03988

activity and the term "antifungal agent" refers to agents which are known in the art primarily by their antifungal activity.

In the following description reference will at times be made to concentrations given in percent (%), this indication meaning the number of weight units of any ingredient in hundred weight units of an entire composition.

5

10

15

20

25

Examples of cytotoxic agents useful in accordance with the invention are coal tars, selenium sulfide, zinc pyrithione or the like. The preferred cytoxic agent is coal tar, typically included in the composition in concentration of 1-5%.

Examples of antifungal agents useful in accordance with the invention include imidazoles, ciclopiroxolamines and metronidazoles. The imidazoles, which are preferred in accordance with the invention, include ketoconozole, bifonazole, itraconazole, econazole, clotrimazole, miconazole, oxiconazole, isoconazole and the like. From the imidazoles, ketoconozole is particularly preferred. Typically, the antifungal agent is included in the composition in a concentration of 0.5-5%

The present invention further provides the use of said cytotoxic agent in combination with said antifungal agent for the preparation of a composition, e.g. a medical hair shampoo, for the treatment of dandruff.

A further aspect of the invention is concerned with the treatment of individuals suffering from dandruff by combined application to the scalp of such individuals of said cytotoxic agent and of said antifungal agent. The individuals may be treated by the use of a single composition, e.g. in the form of a hair shampoo, comprising both agents. Alternatively, the individuals may be treated by a combination of two different compositions, one comprising said cytotoxic agent and the other said antifungal agent.

20

The above described combination may be applied 3-4 times during the first week from the start of the treatment, and 1-2 times a week, thereafter.

The present invention also pertains to a package comprising at least two compositions, one comprising said antifungal agent and the other said cytotoxic agent, optionally with instructions for use in said method.

In the following the invention will be illustrated with reference to a non-limiting specific embodiment described in the Example below.

Example 1:

A group of six patients (ages 17-38) with a severe case of dandruff were on a regular bi-weekly anti seborrheic treatment prior to the onset of the experiment. During the experiment they were treated with a combination of the following two compositions:

- a. a composition comprising 1.8% coal tar.
- b. a solution comprising 2% ketoconazole.

The patients were instructed to apply the two compositions, one after the other, in an amount sufficient to cover the entire scalp. The patients were instructed to apply the compositions on days 1, 3, 6 and 9. The patients' conditions were examined after 14 or 30 days following the onset of treatment.

The patients' conditions were evaluated by the following criteria:

- (i) scaling existence of scales on the scalp, typically at the temporal area;
- (ii) itching based on the patient's subjective feeling;
- 25 (iii) severity overall assessment of the dandruff disease situation, taking into account the skin redness as an indication of inflammatory conditions.

For the above criteria a score was given by using the following scale:

0 - non existing

1 - minimal

2 - moderate

3 – severe

The results are shown in the following Table 1:

10 <u>Table 1</u>

Patient	Age	Sex	Scale		Itch		Severity		Day
No.		l l	B*	Α⁺	B*	A*	В*	A⁺	
1	22	m	2	0	2	0	2	0	30
2	38	m	3	1	3	0	3	1	14
3	23	m	2	0	2	0	2	0	14
4	27	m	2	0	2	0	2	0	14
5	17	f	3	1	3	1	3	1	14
6	37	m	2	0	22	0	2	0	14,30

20

15

- B before treatment according to the present invention;
- + A after treatment.

The results of Table 1 show clearly that following treatment, there
is a considerable decrease in scale formation, reduction in scalp redness and
itching in all treated patients. The subjects reported that the improvements
started within about five days from the onset of the treatment. Furthermore,
this combined treatment brought to a remission of the disease's symptoms

for about two weeks in some of the patients, after the treatment was terminated, as can be seen in the patients tested after thirty days.

Example 2:

A group of three patients who had no record of treatment for dandruff prior to the onset of the experiment, was given the same treatment as in Example 1. The patients' condition was as severe as in Example 1.

The results are shown in the following Table 2:

Table 2

10

5

Pa	tient	Age	Sex	Scale		ltch		Severity		Day
]	No.	,		B*	A⁺	B*	Α⁺	B*	A,	
	1	32	f	1	0	1	0	1	0	30
	2	27	f	2	1	3	1	2	1	30
	3	. 24	f	1	0	1	0	1	n	14

15

- B before treatment according to the present invention;
- + A after treatment.

Again it is clearly demonstrated that the combined application of the two compositions, results in a substantial disappearance of the symptoms accompanying dandruff disease.

25

CLAIMS:

- 1. A composition for treatment of seborrheic dermatitis of the scalp, comprising, in combination, an effective amount of at least one cytotoxic agent and an effective amount of at least one antifungal agent, together with a carrier, diluent or excipient.
- 2. A composition according to claim 1, wherein the cytotoxic agent is selected from the group consisting of coal tars, selenium sulfide and zinc pyrithione.
- 10 3. A composition according to claim 2, comprising 1 to 5% of said cytotoxic agent.
 - 4. A composition according to claim 1, wherein the antifungal agent is selected from the group consisting of imidazoles, ciclopiroxolamines and metronidazoles.
- 15 5. A composition according to claim 4, wherein the antifungal agent is selected from the group consisting of ketoconazole, bifonazole, itraconazole, econazole, clotrimazole, miconazole, oxiconazole and isoconazole.
 - 6. A composition according to claim 4, comprising 0.5 to 5% of said antifungal agent.
- 7. Use of at least one cytotoxic agent, together with at least one antifungal agent for the preparation of a composition for the treatment of dandruff.
 - 8. A method for treating dandruff comprising applying to the scalp an effective amount of at least one cytotoxic agent in combination with at least one antifungal agent.
 - 9. A package which comprises at least one composition comprising a cytotoxic agent and at least one composition comprising an antifungal agent.

10. A package according to claim 9, which comprises instructions for use in the method of claim 8.

INTERNATIONAL SEARCH REPORT

International application No. PCT/US96/03988

A. CLASSIFICATION OF SUBJECT MATTER							
IPC(6) :A61K 7/00 US CL :424/70.1; 514/852, 864							
According to International Patent Classification (IPC) or to both national classification and IPC							
B. FIELDS SEARCHED Minimum decumentation searched (classification system followed by classification symbols)							
U.S.: 424/70.1; 514/852, 864	•						
		Lingth - Golde assembled					
Documentation searched other than minimum documentation to the	ne extent that such documents are included	in the fictus scarcinos					
Electronic data base consulted during the international search (n	ame of data base and, where practicable	, search terms used)					
C. DOCUMENTS CONSIDERED TO BE RELEVANT							
Category* Citation of document, with indication, where a	ppropriate, of the relevant passages	Relevant to claim No.					
X US, 4,518,789 A (YU et al.) 21	May 1985, columns 1, 30	1, 4, 5, 7, 8					
and 36.		2, 3, 6, 9, 10					
Y		_, _, _,					
Y US, 4,294,852 A (WILDNAUER columns 4-5	et al.) 13 October 1981,	1-10					
A US, 4,491,588 A (ROSENBURG columns 1-4.	US, 4,491,588 A (ROSENBURG et al.) 01 January 1985, columns 1-4.						
Further documents are listed in the continuation of Box	C. See patent family annex.						
Special categories of cited documents:	Inter document published after the int	ation but cited to understand the					
A document defining the general state of the art which is not considered to be part of particular relevance *E* earlier document published on or after the international filing date	principle or theory underlying the inv "X" document of particular relevance; the considered novel or cannot be considered.	se claimed invention cannot be					
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other	when the document is taken alone						
apecial reason (as apecified) *O* document referring to an oral disclosure, use, exhibition or other	 Y° document of particular relevance; the considered to involve an inventive combined with one or more other successions. 	t step when the document with documents, such combination					
means *P* document published prior to the international filing date but leter than	being obvious to a person skilled in the art *&* document member of the same patent family						
the priority date claimed Date of the actual completion of the international search Date of mailing of the international search report							
13 JUNE 1996	15 JUL 1996						
Name and mailing address of the ISA/US	Authorized officer	Authorized officer					
Commissioner of Patents and Trademarks Box PCT	SALLY GARDNER						
Washington, D.C. 20231 Facsimile No. (703) 305-3230	Telephone No. (703) 308-2351						